

# Brightness

- Operating mode

# Operating mode

In the **Brightness** column, you can check the current status of the LED display.



Log			Resolution	m <sup>2</sup>	Published playlist	Brightness
			416×624	2.4	2024-04-15 12:13	100%
			416×624	2.4	2024-04-15 12:17	70%
			416×624	2.4	2024-04-15 12:15	50%
			416×624	2.4	2024-04-15 12:18	50%
			416×624	2.4	2024-04-15 12:14	70%
			416×624	2.4	2024-04-15 12:18	50%
			416×624	2.4	2024-04-15 12:16	70%

By clicking on the icon, you can select the mode used to manage the brightness of the LED display.

Test Ufficio A

Brightness setting

ID	Name	Manual	Setting
SGN1	Schermo	<input type="checkbox"/>	Astronomical

**Astronomical** uses the annual curve of sunrise and sunset.

Automatic brightness setting

Mode

 Table

 Astronomical

Day brightness  %

Night brightness  %


Sunrise duration

x

Sunset duration

x

**Today**



















**Table:** hourly scheduling.

Automatic brightness setting


Mode

 Table

 Astronomical


Time	Brightness		
09:00 	30		
12:00 	100		
18:00 	80		
20:00 	10		
22:00 	0		

**Everyday**



**Manual:** manual and instant adjustments.

Brightness setting

ID	Name	Manual	Setting
SGN1	Schermo	<input checked="" type="checkbox"/>	 61 %

**Sensor:** automatic control via an environmental sensor; visible and can be activated only if a sensor is installed.

Automatic brightness setting

Mode



Sensor



Table



Astronomical

Maximum brightness  % starting from lux   
Minimum brightness  %

**Response curve**

